

Declaration of Performance

according to appendix III of the EU directive no. 305/11

no. 0016

1. Code number of the product type:

EN 1307

2. Identification of the building product:

The exact identification of the product can be found on the label.

3. Designated use:

Textile flooring for use in the interior of buildings.

4. Contact:

**Halbmond Teppichwerke GmbH
C.-W.-Koch-Straße 6
08606 Oelsnitz
Germany**

5. Representative:

not named

6. System for evaluation and check of the constancy of performance:

System 1

7. In case the declaration of performance regards a building product that is affected by a harmonized standard:

The notified authority Textiles and Flooring Institute GmbH (identification number 1658) has carried out a type check, an initial inspection of the plant and the plant-internal production checks as well as the continuous supervision, assessment and evaluation of the plant-internal production checks. The following was issued:

Certificate of constancy of performance 1658-CPR-3436

8. In case the declaration of performance regards a building product for which a European technical evaluation has been issued:

not applicable

Declaration of Performance

according to appendix III of the EU directive no. 305/11


no. 0016

9. Declared performance:

basic characteristics	performance	harmonized technical specification
fire class according to EN 13501-1	B _{fl} -S1 (non-sticky)	EN 14041:2004
friction resistance according to 13893	DS	EN 14041:2004
formaldehyde content	Only products were used for production which contain no formaldehyde or PCP.	EN 14041:2004
pentachlorophenol (PCP) content		EN 14041:2004

10. The performance of the product according to numbers 1 and 2 corresponds to the declared performance according to number 9. Only the manufacturer is responsible for the preparation of this declaration of performance according to number 4.

Signed for the manufacturer and on behalf of the manufacturer by:



Dr Ralf Litzenberg
(Managing Director)

Oelsnitz, 28.11.2018

Certificate of constancy of performance

No. 1658-CPR-3436

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products of the group

Wolle/Polyamid 80/20 textiler Zweitrücken Bfl

textile floor covering according to EN 14041 intended for use within a building

with the following classes of reaction to fire according to EN 13501-1

B_{fl}-s1

unglued or glued
on massive, mineral concrete (gross density $\geq 1350 \text{ kg/m}^3$)

produced by or for

Halbmond Teppichwerke GmbH

Brückenstr. 1

08606 Oelsnitz / Germany

and produced in the manufacturing plant(s)

Brückenstr. 1

08606 Oelsnitz / Germany

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the harmonised standard

EN 14041:2004/AC:2006

under system 1 for the performance(s) set out in this certificate are applied and that the performance(s) of the construction product(s) is / are assessed to remain constant.

This certificate was first issued on 26 October 2018. This certificate will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly, at the latest, however, until **26 October 2023**. This certificate shall only be valid in conjunction with the "Annex for the description of articles/groups".

Aachen, 26 October 2018



Dipl.-Ing. Cornelia Schiffer
(deputy head of certification body)

**Anlage zur Artikel- /
Gruppenbeschreibung**

**Annex for the description
of articles / groups**

**Annexe pour la description
des articles / du groupe**

1658-CPR-3436

Diese(r) Artikel / Gruppe wird charakterisiert durch folgende Merkmale

This article / this group is characterised by the following features

Cet article / cette groupe présente les caractéristiques suivantes

- Gesamtmasse 2179 - 3540 g/m²
- Gesamtdicke 7,5 - 15,0 mm
- Materialzusammensetzung /
Nutzschicht: 80 % Wolle/20 %
Polyamid

- total mass 2179 - 3540 g/m²
- total thickness 7.5 - 15.0 mm
- material composition /
pile material: 80 % wool/20 % poly-
amide

- masse totale 2179 - 3540 g/m²
- épaisseur totale 7,5 - 15,0 mm
- composition de la matière /
couche d'usage: 80 % laine/20 %
polyamide

und umfasst folgende(n) Artikel:

and comprises the following article(s):

et comporte l'article suivant/les articles suivants:

Artemis 1050 AV BFL
Artemis 1050 Bfl
Artemis 1050 DEZR Bfl
Artemis 1050 Filz 550 Bfl
Artemis 1050 Filz Bfl
Artemis 1050 TFZ3 Bfl
Artemis 1050 TFZ6 Bfl
Artemis 1250 AV BFL
Artemis 1250 Bfl
Artemis 1250 DEZR Bfl
Artemis 1250 Filz 550 Bfl
Artemis 1250 Filz Bfl
Artemis 1250 TFZ3 Bfl
Artemis 1250 TFZ6 Bfl
Artemis 1400 AV BFL
Artemis 1400 Bfl
Artemis 1400 DEZR Bfl
Artemis 1400 Filz 550 Bfl
Artemis 1400 Filz Bfl
Artemis 1400 TFZ3 Bfl
Artemis 1400 TFZ6 Bfl

Artemis 1850 AV BFL
Artemis 1850 Bfl
Artemis 1850 Filz 550 Bfl
Artemis 1850 Filz Bfl
Artemis 1850 TFZ3 Bfl
Artemis 1850 TFZ6 Bfl
Artemis 2000 AV BFL
Artemis 2000 Bfl
Artemis 2000 Filz 550 Bfl
Artemis 2000 Filz Bfl
Artemis 2000 TFZ3 Bfl
Artemis 2000 TFZ6 Bfl
DC Wool 1050 AV Bfl
DC Wool 1050 Bfl
DC Wool 1050 Filz 550 Bfl
DC Wool 1050 Filz Bfl
DC Wool 1050 TFZ3 Bfl
DC Wool 1050 TFZ6 Bfl
DC Wool 1250 AV Bfl
DC Wool 1250 Bfl
DC Wool 1250 Filz 550 Bfl

DC Wool 1250 Filz Bfl
DC Wool 1250 TFZ3 Bfl
DC Wool 1250 TFZ6 Bfl
DC Wool 1400 AV Bfl
DC Wool 1400 Bfl
DC Wool 1400 Filz 550 Bfl
DC Wool 1400 Filz Bfl
DC Wool 1400 TFZ3 Bfl
DC Wool 1400 TFZ6 Bfl
DC Wool 1850 AV Bfl
DC Wool 1850 Bfl
DC Wool 1850 Filz 550 Bfl
DC Wool 1850 Filz Bfl
DC Wool 1850 TFZ3 Bfl
DC Wool 1850 TFZ6 Bfl
DC Wool 2000 AV Bfl
DC Wool 2000 Bfl
DC Wool 2000 Filz 550 Bfl
DC Wool 2000 Filz Bfl
DC Wool 2000 TFZ3 Bfl
DC Wool 2000 TFZ6 Bfl

Diese Anlage ersetzt die Version vom 26.10.2018 und bleibt gültig, solange keine neuere Version erstellt wurde, längstens jedoch bis zum **26.10.2023**.

This annex replaces the version dated 26 October 2018 and will remain valid as long as no newer version has been issued, at the latest however until **26 October 2023**.

Cette annexe remplace la version du 26.10.2018 et demeure en vigueur aussi longtemps qu'aucune version plus récente n'a été établie, au plus tard cependant jusqu'au **26.10.2023**.

Aachen, 11.10.2019



Dipl.-Ing. Thomas Brunke
(Zertifizierer / certifier / certificateur)