

Declaration of Performance

according to appendix III of the EU directive no. 305/11

no. 0004

1. Code number of the product type:

EN 1307

2. Identification of the building product:

The exact identification of the product can be found on the label.

3. Designated use:

Textile flooring for use in the interior of buildings.

4. Contact:

**Halbmond Teppichwerke GmbH
Brückenstraße 1
08606 Oelsnitz
Germany**

5. Representative:

not named

6. System for evaluation and check of the constancy of performance:

System 1

7. In case the declaration of performance regards a building product that is affected by a harmonized standard:

The notified authority Textiles and Flooring Institute GmbH (identification number 1658) has carried out a type check, an initial inspection of the plant and the plant-internal production checks as well as the continuous supervision, assessment and evaluation of the plant-internal production checks. The following was issued:

Certificate of constancy of performance 1658-CPR-3163

8. In case the declaration of performance regards a building product for which a European technical evaluation has been issued:

not applicable

Declaration of Performance

according to appendix III of the EU directive no. 305/11

no. 0004

9. Declared performance:

basic characteristics	performance	harmonized technical specification
fire class according to EN 13501-1	C _{fl} -S1 (non-sticky)	EN 14041:2004
friction resistance according to 13893	DS	EN 14041:2004
formaldehyde content	Only products were used for production which contain no formaldehyde or PCP.	EN 14041:2004
pentachlorophenol (PCP) content		EN 14041:2004

10. The performance of the product according to numbers 1 and 2 corresponds to the declared performance according to number 9. Only the manufacturer is responsible for the preparation of this declaration of performance according to number 4.

Signed for the manufacturer and on behalf of the manufacturer by:



Dr Ralf Litzenberg
(Managing Director)

Oelsnitz, 21.06.19

Certificate of constancy of performance

No. 1658-CPR-3163

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products of the group

Polyamid Easy Lift textiler Zweitrücken

textile floor covering according to EN 14041 intended for use within a building
with the following classes of reaction to fire according to EN 13501-1

C_{fl}-s1

unglued or glued
on substrates of classes A1 and A2-s1, d0 with a gross density $\geq 1350 \text{ kg/m}^3$

produced by or for

Halbmond Teppichwerke GmbH

Brückenstr. 1
08606 Oelsnitz / Germany

and produced in the manufacturing plant(s)

Brückenstr. 1
08606 Oelsnitz / Germany


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the harmonised standard

EN 14041:2004/AC:2006

under system 1 for the performance(s) set out in this certificate are applied and that the performance(s) of the construction product(s) is / are assessed to remain constant.

This certificate was first issued on 10 June 2014. This certificate will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly, at the latest, however, until **10 June 2024**. This certificate shall only be valid in conjunction with the "Annex for the description of articles/groups" and replaces the version dated 4 October 2017.

Aachen, 13 June 2019



Dipl.-Ing. Thomas Brunke
(certifier)

**Anlage zur Artikel- /
Gruppenbeschreibung**

**Annex for the description
of articles / groups**

**Annexe pour la description
des articles / du groupe**

1658-CPR-3163

Diese(r) Artikel / Gruppe wird charakterisiert durch folgende Merkmale

This article / this group is characterised by the following features

Cet article / cette groupe présente les caractéristiques suivantes

- Gesamtmasse 2673 - 4242 g/m²
- Gesamtdicke 5,5 - 15,5 mm
- Materialzusammensetzung /
Nutzschicht: 100 % Polyamid
(PA6/PA6.6)

- total mass 2673 - 4242 g/m²
- total thickness 5.5 - 15.5 mm
- material composition /
pile material: 100 % polyamide
(PA6/PA6.6)

- masse totale 2673 - 4242 g/m²
- épaisseur totale 5,5 - 15,5 mm
- composition de la matière /
couche d'usage: 100 % polyamide
(PA6/PA6.6)

und umfasst folgende(n) Artikel:

and comprises the following article(s):

et comporte l'article suivant/les articles suivants:

ADSW01
AP 1050 Easy Lift 2,5
AP 1050 Easy Lift TFZ3
AP 1050 Easy Lift TFZ6
AP 1050 Filz 1000
AP 1050 OC Filz
AP 1150 Easy Lift 2,5
AP 1150 Easy Lift TFZ3
AP 1150 Easy Lift TFZ6
AP 1150 Filz 1000
AP 1150 OC Filz
AP 1250 Easy Lift 2,5
AP 1250 Easy Lift TFZ3
AP 1250 Easy Lift TFZ6
AP 1250 Filz 1000
AP 1250 OC Filz
AP 1400 Easy Lift 2,5
AP 1400 Easy Lift TFZ3
AP 1400 Easy Lift TFZ6
AP 1400 Filz 1000
AP 1400 OC Filz
AP 750 SM Easy Lift 2,5
AP 750 SM Easy Lift TFZ3

AP 750 SM Filz 1000
AP 850 ES Easy Lift 2,5
AP 850 ES Filz 1000
AP 860 S Easy Lift 2,5
AP 860 S Filz 1000
AP 860 SV Easy Lift 2,5
AP 860 SV Filz 1000
AP 900 Easy Lift 2,5
AP 900 Easy Lift TFZ3
AP 900 Filz 1000
AP 930 S Easy Lift 2,5
AP 930 S Easy Lift TFZ3
AP 930 S Filz 1000
AP 930 S OC Filz
AP ST 1150-27 Easy Lift 2,5
AP ST 1150-27 Easy Lift TFZ3
AP ST 1150-27 Filz 1000
AP ST 1150-28 Easy Lift 2,5
AP ST 1150-28 Easy Lift TFZ3
AP ST 1150-28 Filz 1000
Arcade Easy Lift 2,5
Arcade Easy Lift TFZ3
Arcade Filz 1000

Arcade OC Filz
Arcade Spezial Easy Lift 2,5
Arcade Spezial Easy Lift TFZ3
Arcade Spezial Filz 1000
Arcade Spezial OC Filz
Art 1050 Easy Lift 2,5
Art 1050 Easy Lift TFZ3
Art 1050 Easy Lift TFZ6
Art 1050 Filz 1000
Art 1050 OC Filz
Art 1150 Easy Lift 2,5
Art 1150 Filz 1000
Art 1250 Easy Lift 2,5
Art 1250 Easy Lift TFZ3
Art 1250 Easy Lift TFZ6
Art 1250 Filz 1000
Art 1250 OC Filz
Art 1400 Easy Lift 2,5
Art 1400 Easy Lift TFZ3
Art 1400 Easy Lift TFZ6
Art 1400 Filz 1000
Art 1400 OC Filz
Art Easy Lift 2,5

Art Easy Lift TFZ3	DC 800 Easy Lift 2,5	ECO 1050 Filz 1000
Art Filz 1000	DC 800 Easy Lift 2,5 F1	ECO 1250 Easy Lift 2,5
Art OC Filz	DC 800 Easy Lift TFZ3	ECO 1250 Filz 1000
Art Super Easy Lift 2,5	DC 850 Easy Lift 2,5	ECO 1400 Easy Lift 2,5
Art Super Filz 1000	DC 850 Easy Lift 2,5 F1	ECO 1400 Filz 1000
Art Super OC Filz	DC 850 Easy Lift TFZ3	ECO 800 Easy Lift 2,5
ASW01	DC 900 Easy Lift 2,5	ECO 800 Filz 1000
BESW01	DC 900 Easy Lift 2,5 F1	ECO 850 S Easy Lift 2,5
BESW02	DC 900 Easy Lift TFZ3	ECO 850 S Filz 1000
DC 1050 Easy Lift 2,5	DC 980 Easy Lift 2,5	Explain Easy Lift 2,5
DC 1050 Easy Lift 2,5 F1	DC 980 Easy Lift 2,5 F1	Gloc Easy Lift 2,5
DC 1050 Easy Lift TFZ3	DC ES 85 Easy Lift 2,5	LSW01
DC 1050 Easy Lift TFZ6	DC ES 85 Easy Lift 2,5 F1	Melange 610 S Easy Lift 2,5
DC 1052 Easy Lift 2,5	DC Frisee 1250 Easy Lift 2,5	Melange 610 S Filz 1000
DC 1052 Easy Lift 2,5 F1	DC Frisee 1250 Easy Lift 2,5 F1	Melange 610 S OC Filz
DC 1052 Easy Lift TFZ3	DC Frisee 1250 Easy Lift TFZ3	Melange 800 Easy Lift 2,5
DC 1052 Easy Lift TFZ6	DC Frisee 1250 Easy Lift TFZ6	Melange 800 Easy Lift TFZ3
DC 1150 Easy Lift 2,5	DC Frisee 950 Easy Lift 2,5	Melange 800 Filz 1000
DC 1150 Easy Lift 2,5 F1	DC Frisee 950 Easy Lift 2,5 F1	Melange 800 OC Filz
DC 1150 Easy Lift TFZ3	DC HT 27 Easy Lift 2,5	Palazzo 1250 A Easy Lift 2,5
DC 1150 Easy Lift TFZ6	DC HT 27 Easy Lift 2,5 F1	Palazzo 1250 A Easy Lift TFZ3
DC 1250 Easy Lift 2,5	DC HT 27 Easy Lift TFZ3	Palazzo 1250 A Easy Lift TFZ6
DC 1250 Easy Lift 2,5 F1	DC HT 28 Easy Lift 2,5	Palazzo 1250 A Filz 1000
DC 1250 Easy Lift TFZ3	DC HT 28 Easy Lift 2,5 F1	Palazzo 1250 A OC Filz
DC 1250 Easy Lift TFZ6	DC HT 28 Easy Lift TFZ3	Palazzo A Easy Lift 2,5
DC 1252 Easy Lift 2,5	DC M 61 Easy Lift 2,5	Palazzo A Filz 1000
DC 1252 Easy Lift 2,5 F1	DC M 61 Easy Lift 2,5 F1	POC Easy Lift 2,5
DC 1252 Easy Lift TFZ3	DC M 75 Easy Lift 2,5	POC OC Filz
DC 1252 Easy Lift TFZ6	DC M 75 Easy Lift 2,5 F1	PSW01
DC 1390 Easy Lift 2,5	DC M 75 Easy Lift TFZ3	REN 1050 Easy Lift 2,5
DC 1390 Easy Lift 2,5 F1	DC Melange Easy Lift 2,5	REN 1050 Filz 1000
DC 1390 Easy Lift TFZ3	DC Melange Easy Lift 2,5 F1	REN 1250 Easy Lift 2,5
DC 1390 Easy Lift TFZ6	DC Melange Easy Lift TFZ3	REN 1250 Filz 1000
DC 1402 Easy Lift 2,5	DC Schlinge 930 Easy Lift 2,5	REN 1400 Easy Lift 2,5
DC 1402 Easy Lift 2,5 F1	DC Schlinge 930 Easy Lift 2,5 F1	REN 1400 Filz 1000
DC 1402 Easy Lift TFZ3	DC Schlinge 930 Easy Lift TFZ3	REN 800 Easy Lift 2,5
DC 1402 Easy Lift TFZ6	DDSW01	REN 800 Filz 1000
DC 610 S Easy Lift 2,5	DP 610 S Easy Lift 2,5	Rondo OC Filz
DC 610 S Easy Lift 2,5 F1	DP 610 S Filz 1000	SD 600 M Easy Lift 2,5
DC 650 Easy Lift 2,5	DP ST 1150-27 Easy Lift 2,5	SD 600 M Easy Lift 2,5 F1
DC 650 Easy Lift 2,5 F1	DP ST 1150-28 Easy Lift 2,5	SD 600 M Easy Lift TFZ3
DC 650 Easy Lift TFZ3	ECO 1050 Easy Lift 2,5	SD 600 M Filz 1000

SD 800 M Easy Lift 2,5
SD 800 M Easy Lift 2,5 F1
SD 800 M Easy Lift TFZ3
SD 800 M Filz 1000
SSOC Easy Lift 2,5

SSOC OC Filz
TM1 Easy Lift 2,5
TM2 Easy Lift 2,5
TM3 Easy Lift 2,5
TM4 Easy Lift 2,5

TM5 Easy Lift 2,5
TM6 Easy Lift 2,5
USW01

Diese Anlage ersetzt die Version vom 22.11.2021 und bleibt gültig, solange keine neuere Version erstellt wurde, längstens jedoch bis zum **10.06.2024**.

This annex replaces the version dated 22 November 2021 and will remain valid as long as no newer version has been issued, at the latest however until **10 June 2024**.

Cette annexe remplace la version du 22.11.2021 et demeure en vigueur aussi longtemps qu'aucune version plus récente n'a été établie, au plus tard cependant jusqu'au **10.06.2024**.

Aachen, 13.12.2021




Dr.-Ing. Andreas Zoëga
(Zertifizierer / certifier / certificateur)