

Declaration of Performance

according to appendix III of the EU directive no. 305/11

no. 0015

1. Code number of the product type:

EN 1307

2. Identification of the building product:

The exact identification of the product can be found on the label.

3. Designated use:

Textile flooring for use in the interior of buildings.

4. Contact:

**Halbmond Teppichwerke GmbH
C.-W.-Koch-Straße 6
08606 Oelsnitz
Germany**

5. Representative:

not named

6. System for evaluation and check of the constancy of performance:

System 1

7. In case the declaration of performance regards a building product that is affected by a harmonized standard:

The notified authority Textiles and Flooring Institute GmbH (identification number 1658) has carried out a type check, an initial inspection of the plant and the plant-internal production checks as well as the continuous supervision, assessment and evaluation of the plant-internal production checks. The following was issued:

Certificate of constancy of performance 1658-CPR-3409

8. In case the declaration of performance regards a building product for which a European technical evaluation has been issued:

not applicable

Declaration of Performance

according to appendix III of the EU directive no. 305/11

no. 0015

9. Declared performance:

basic characteristics	performance	harmonized technical specification
fire class according to EN 13501-1	B _{fl} -S1 (non-sticky)	EN 14041:2004
friction resistance according to 13893	DS	EN 14041:2004
formaldehyde content	Only products were used for production which contain no formaldehyde or PCP.	EN 14041:2004
pentachlorophenol (PCP) content		EN 14041:2004

10. The performance of the product according to numbers 1 and 2 corresponds to the declared performance according to number 9. Only the manufacturer is responsible for the preparation of this declaration of performance according to number 4.

Signed for the manufacturer and on behalf of the manufacturer by:



Dr Ralf Litzenberg
(Managing Director)

Oelsnitz, 28.01.18

Certificate of constancy of performance

No. 1658-CPR-3409

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products of the group

Polyamid Easy Lift textiler Zweitrücken Bfl

textile floor covering according to EN 14041 intended for use within a building
with the following classes of reaction to fire according to EN 13501-1

B_{fl}-s1

unglued or glued
on substrates of classes A1 and A2-s1, d0 with a gross density $\geq 1350 \text{ kg/m}^3$

produced by or for

Halbmond Teppichwerke GmbH

Brückenstr. 1
08606 Oelsnitz / Germany

and produced in the manufacturing plant(s)

Brückenstr. 1
08606 Oelsnitz / Germany

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the harmonised standard

EN 14041:2004/AC:2006

under system 1 for the performance(s) set out in this certificate are applied and that the performance(s) of the construction product(s) is / are assessed to remain constant.

This certificate was first issued on 27 February 2018. This certificate will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly, at the latest, however, until **27 February 2028**. This certificate shall only be valid in conjunction with the "Annex for the description of articles/groups" and replaces the version dated 27 February 2018.

Aachen, 27 February 2023



Dr.-Ing. Andreas Zoëga
(certifier)

**Anlage zur Artikel- /
Gruppenbeschreibung**

**Annex for the description
of articles / groups**

**Annexe pour la description
des articles / du groupe**

1658-CPR-3409

Diese(r) Artikel / Gruppe wird charakterisiert durch folgende Merkmale

This article / this group is characterised by the following features

Cet article / cette groupe présente les caractéristiques suivantes

- Gesamtmasse 2673 - 4250 g/m²
- Gesamtdicke 5,5 – 12,5 mm
- Materialzusammensetzung /
Nutzschicht: 100 % Polyamid

- total mass 2673 - 4250 g/m²
- total thickness 5.5 – 12.5 mm
- material composition /
pile material: 100 % polyamide

- masse totale 2673 – 4250 g/m²
- épaisseur totale 5,5 – 12,5 mm
- composition de la matière /
couche d'usage: 100 % polyamide

und umfasst folgende(n) Artikel:

and comprises the following article(s):

et comporte l'article suivant/les articles suivants:

AP 1050 Easy Lift 2,5 Bfl
AP 1050 Easy Lift TFZ3 Bfl
AP 1050 Easy Lift TFZ6 Bfl
AP 1050 Filz 1000 Bfl
AP 1150 Easy Lift 2,5 Bfl
AP 1150 Easy Lift TFZ3 Bfl
AP 1150 Easy Lift TFZ6 Bfl
AP 1150 Filz 1000 Bfl
AP 1250 Easy Lift 2,5 Bfl
AP 1250 Easy Lift TFZ3 Bfl
AP 1250 Easy Lift TFZ6 Bfl
AP 1250 Filz 1000 Bfl
AP 1400 Easy Lift 2,5 Bfl
AP 1400 Easy Lift TFZ3 Bfl
AP 1400 Easy Lift TFZ6 Bfl
AP 1400 Filz 1000 Bfl
AP 750 SM Easy Lift 2,5 Bfl
AP 750 SM Easy Lift TFZ3 Bfl
AP 750 SM Filz 1000 Bfl
AP 900 Easy Lift 2,5 Bfl
AP 900 Easy Lift TFZ3 Bfl
AP 900 Filz 1000 Bfl
AP 930 S Easy Lift 2,5 Bfl
AP 930 S Easy Lift TFZ3 Bfl

AP 930 S Filz 1000 Bfl
AP ST 1150-27 Easy Lift 2,5 Bfl
AP ST 1150-27 Easy Lift TFZ3 Bfl
AP ST 1150-27 Filz 1000 Bfl
AP ST 1150-28 Easy Lift 2,5 Bfl
AP ST 1150-28 Easy Lift TFZ3 Bfl
AP ST 1150-28 Filz 1000 Bfl
Arcade Easy Lift 2,5 Bfl
Arcade Easy Lift TFZ3 Bfl
Arcade Filz 1000 Bfl
Arcade Spezial Easy Lift 2,5 Bfl
Arcade Spezial Easy Lift TFZ3 Bfl
Arcade Spezial Filz 1000 Bfl
Art 1050 Easy Lift 2,5 Bfl
Art 1050 Easy Lift TFZ3 Bfl
Art 1050 Easy Lift TFZ6 Bfl
Art 1050 Filz 1000 Bfl
Art 1250 Easy Lift 2,5 Bfl
Art 1250 Easy Lift TFZ3 Bfl
Art 1250 Easy Lift TFZ6 Bfl
Art 1250 Filz 1000 Bfl
Art 1400 Easy Lift 2,5 Bfl
Art 1400 Easy Lift TFZ3 Bfl
Art 1400 Easy Lift TFZ6 Bfl

Art 1400 Filz 1000 Bfl
Art Easy Lift 2,5 Bfl
Art Easy Lift TFZ3 Bfl
Art Filz 1000 Bfl
DC 1050 Easy Lift 2,5 Bfl
DC 1050 Easy Lift 2,5 F1 Bfl
DC 1050 Easy Lift TFZ3 Bfl
DC 1050 Easy Lift TFZ6 Bfl
DC 1052 Easy Lift 2,5 Bfl
DC 1052 Easy Lift 2,5 F1 Bfl
DC 1052 Easy Lift TFZ3 Bfl
DC 1052 Easy Lift TFZ6 Bfl
DC 1150 Easy Lift 2,5 Bfl
DC 1150 Easy Lift 2,5 F1 Bfl
DC 1150 Easy Lift TFZ3 Bfl
DC 1150 Easy Lift TFZ6 Bfl
DC 1250 Easy Lift 2,5 Bfl
DC 1250 Easy Lift 2,5 F1 Bfl
DC 1250 Easy Lift TFZ3 Bfl
DC 1250 Easy Lift TFZ6 Bfl
DC 1252 Easy Lift 2,5 Bfl
DC 1252 Easy Lift 2,5 F1 Bfl
DC 1252 Easy Lift TFZ3 Bfl
DC 1252 Easy Lift TFZ6 Bfl

DC 1390 Easy Lift 2,5 Bfl	DC HT 27 Easy Lift 2,5 F1 Bfl	ECO 850 S Filz 1000 Bfl
DC 1390 Easy lift 2,5 F1 Bfl	DC HT 27 Easy Lift TFZ3 Bfl	Melange 800 Easy Lift 2,5 Bfl
DC 1390 Easy Lift TFZ3 Bfl	DC HT 28 Easy Lift 2,5 Bfl	Melange 800 Easy Lift TFZ3 Bfl
DC 1390 Easy Lift TFZ6 Bfl	DC HT 28 Easy Lift 2,5 F1 Bfl	Melange 800 Filz 1000 Bfl
DC 1402 Easy Lift 2,5 Bfl	DC HT 28 Easy Lift TFZ3 Bfl	Palazzo 1250 A Easy Lift 2,5 Bfl
DC 1402 Easy Lift 2,5 F1 Bfl	DC M 75 Easy Lift 2,5 Bfl	Palazzo 1250 A Easy Lift TFZ3 Bfl
DC 1402 Easy Lift TFZ3 Bfl	DC M 75 Easy Lift 2,5 F1 Bfl	Palazzo 1250 A Easy Lift TFZ6 Bfl
DC 1402 Easy Lift TFZ6 Bfl	DC M 75 Easy Lift TFZ3 Bfl	Palazzo 1250 A Filz 1000 Bfl
DC 650 Easy Lift 2,5 Bfl	DC Melange Easy Lift 2,5 Bfl	REN 1050 Easy Lift 2,5 Bfl
DC 650 Easy Lift 2,5 F1 Bfl	DC Melange Easy Lift 2,5 F1 Bfl	REN 1050 Filz 1000 Bfl
DC 650 Easy Lift TFZ3	DC Melange Easy Lift TFZ3 Bfl	REN 1250 Easy Lift 2,5 Bfl
DC 800 Easy Lift 2,5 Bfl	DC Schlinge 930 Easy Lift 2,5 Bfl	REN 1250 Filz 1000 Bfl
DC 800 Easy Lift 2,5 F1 Bfl	DC Schlinge 930 Easy Lift 2,5 F1 Bfl	REN 1400 Easy Lift 2,5 Bfl
DC 800 Easy Lift TFZ3 Bfl	DC Schlinge 930 Easy Lift TFZ3 Bfl	REN 1400 Filz 1000 Bfl
DC 850 Easy Lift 2,5 Bfl	DP ST 1150-27 Easy Lift 2,5 Bfl	REN 800 Easy Lift 2,5 Bfl
DC 850 Easy Lift 2,5 F1 Bfl	DP ST 1150-28 Easy Lift 2,5 Bfl	REN 800 Filz 1000 Bfl
DC 850 Easy Lift TFZ3 Bfl	ECO 1050 Easy Lift 2,5 Bfl	SD 600 M Easy Lift 2,5 Bfl
DC 900 Easy Lift 2,5 Bfl	ECO 1050 Filz 1000 Bfl	SD 600 M Easy Lift 2,5 F1 Bfl
DC 900 Easy Lift 2,5 F1 Bfl	ECO 1250 Easy Lift 2,5 Bfl	SD 600 M Easy Lift TFZ3 Bfl
DC 900 Easy Lift TFZ3 Bfl	ECO 1250 Filz 1000 Bfl	SD 600 M Filz 1000 Bfl
DC Frisee 1250 Easy Lift 2,5 Bfl	ECO 1400 Easy Lift 2,5 Bfl	SD 800 M Easy Lift 2,5 Bfl
DC Frisee 1250 Easy Lift 2,5 F1 Bfl	ECO 1400 Filz 1000 Bfl	SD 800 M Easy Lift 2,5 F1 Bfl
DC Frisee 1250 Easy Lift TFZ3 Bfl	ECO 800 Easy Lift 2,5 Bfl	SD 800 M Easy Lift TFZ3 Bfl
DC Frisee 1250 Easy Lift TFZ6 Bfl	ECO 800 Filz 1000 Bfl	SD 800 M Filz 1000 Bfl
DC HT 27 Easy Lift 2,5 Bfl	ECO 850 S Easy Lift 2,5 Bfl	

Diese Anlage ersetzt die Version vom 27.02.2023 und bleibt gültig, solange keine neuere Version erstellt wurde, längstens jedoch bis zum **29.09.2026**.

This annex replaces the version dated 27 February 2023 and will remain valid as long as no newer version has been issued, at the latest however until **29 September 2026**.

Cette annexe remplace la version du 27.02.2023 et demeure en vigueur aussi longtemps qu'aucune version plus récente n'a été établie, au plus tard cependant jusqu'au **29.09.2026**.

Aachen, 25.04.2024



Dr.-Ing. Andreas Zoëga
(Zertifizierer / certifier / certificateur)