

Declaration of Performance

according to appendix III of the EU directive no. 305/11

no. 0015

1. Code number of the product type:

EN 1307

2. Identification of the building product:

The exact identification of the product can be found on the label.

3. Designated use:

Textile flooring for use in the interior of buildings.

4. Contact:

**Halbmond Teppichwerke GmbH
Brückenstraße 1
08606 Oelsnitz
Germany**

5. Representative:

not named

6. System for evaluation and check of the constancy of performance:

System 1

7. In case the declaration of performance regards a building product that is affected by a harmonized standard:

The notified authority Textiles and Flooring Institute GmbH (identification number 1658) has carried out a type check, an initial inspection of the plant and the plant-internal production checks as well as the continuous supervision, assessment and evaluation of the plant-internal production checks. The following was issued:

Certificate of Constancy of Performance No. 1658-CPR-3409

8. In case the declaration of performance regards a building product for which a European technical evaluation has been issued:

not applicable

Declaration of Performance

according to appendix III of the EU directive no. 305/11


no. 0015

9. Declared performance:

basic characteristics	performance	harmonized technical specification
fire class according to EN 13501-1	 (glued or unglued on non-combustible substrate)	EN 14041 2004/AC: 2006
Content of Pentachlorophenol		EN 14041 2004/AC: 2006
Formaldehyd Emissions		EN 14041 2004/AC: 2006
friction resistance according to 13893		EN 14041 2004/AC: 2006
Electrical behavior (dissipative)	NPD	EN 14041 2004/AC: 2006
Electrical behavior (conductive)	NPD	EN 14041 2004/AC: 2006
Electrical behavior (antistatic)		EN 14041 2004/AC: 2006
Thermal conductivity [W/mK]	NPD	EN 14041 2004/AC: 2006
Water-tightness	NPD	EN 14041 2004/AC: 2006

10. The performance of the product according to numbers 1 and 2 corresponds to the declared performance according to number 9. Only the manufacturer is responsible for the preparation of this declaration of performance according to number 4.

Signed for the manufacturer and on behalf of the manufacturer by:


Eric Seliger
(Managing Director)

Oelsnitz, 31.08.2026

Certificate of constancy of performance

No. 1658-CPR-3409

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products of the group

Polyamid Easy Lift textiler Zweitrücken Bfl

textile floor covering according to EN 14041 intended for use within a building
with the following classes of reaction to fire according to EN 13501-1

Bfl-s1

unglued or glued
on substrates of classes A1 and A2-s1, d0 with a gross density $\geq 1350 \text{ kg/m}^3$

produced by or for

Halbmond Teppichwerke GmbH

Brückenstr. 1

08606 Oelsnitz / Germany

and produced in the manufacturing plant(s)

Brückenstr. 1

08606 Oelsnitz / Germany

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the harmonised standard

EN 14041:2004/AC:2006

under system 1 for the performance(s) set out in this certificate are applied and that the performance(s) of the construction product(s) is / are assessed to remain constant.

This certificate was first issued on 27 February 2018. This certificate will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly, at the latest, however, until **27 February 2028**. This certificate shall only be valid in conjunction with the "Annex for the description of articles/groups" and replaces the version dated 27 February 2018.

Aachen, 27 February 2023



Dr.-Ing. Andreas Zoëga
(certifier)

Anlage zur Artikel- / Gruppenbeschreibung	Annex for the description of articles / groups	Annexe pour la description des articles / du groupe
1658-CPR-3409		
Diese(r) Artikel / Gruppe wird charakte- risiert durch folgende Merkmale	This article / this group is characterised by the following features	Cet article / cette groupe présente les caractéristiques suivantes
- Gesamtmasse 2340 - 3099 g/m² - Gesamtdicke 6,0 - 7,5 mm - Materialzusammensetzung / Nutzschicht: 100 % Polyamid	- total mass 2340 - 3099 g/m² - total thickness 6.0 - 7.5 mm - material composition / pile material: 100 % polyamide	- masse totale 2340 - 3099 g/m² - épaisseur totale 6,0 - 7,5 mm - composition de la matière / couche d'usage: 100 % polyamide
und umfasst folgende(n) Artikel:	and comprises the following article(s):	et comporte l'article suivant/les articles suivants:
AP 1050 Easy Lift 2,5 Bfl AP 750 SM Easy Lift 2,5 Bfl AP 900 Easy Lift 2,5 Bfl AP 930 S Easy Lift 2,5 Bfl Arcade Easy Lift 2,5 Bfl Arcade Spezial Easy Lift 2,5 Bfl	Art 1050 Easy Lift 2,5 Bfl Art Easy Lift 2,5 Bfl DC 1050 Easy Lift 2,5 Bfl DC 1052 Easy Lift 2,5 Bfl DC 650 Easy Lift 2,5 Bfl DC 800 Easy Lift 2,5 Bfl	DC 850 Easy Lift 2,5 Bfl DC 900 Easy Lift 2,5 Bfl DC M 75 Easy Lift 2,5 Bfl DC Schlinge 930 Easy Lift 2,5 Bfl
Diese Anlage ersetzt die Version vom 25.04.2024 und bleibt gültig, solange keine neuere Version erstellt wurde, längstens jedoch bis zum 27.02.2028 .	This annex replaces the version dated 25 April 2024 and will remain valid as long as no newer version has been is- sued, at the latest however until 27 February 2028 .	Cette annexe remplace la version du 25.04.2024 et demeure en vigueur aussi longtemps qu'aucune version plus récente n'a été établie, au plus tard cependant jusqu'au 27.02.2028 .

Aachen, 22.10.2025



Dipl.-Ing. Cornelia Schiffer
(stellv. Leiterin der Zertifizierungsstelle /
Deputy Head of Certification Body /
responsable adjointe de l'organisme de certification)