

Declaration of Performance

according to appendix III of the EU directive no. 305/11

no. 0022

1. Code number of the product type:

EN 1307

2. Identification of the building product:

The exact identification of the product can be found on the label.

3. Designated use:

Textile flooring for use in the interior of buildings.

4. Contact:

**Halbmond Teppichwerke GmbH
Brückenstraße 1
08606 Oelsnitz
Germany**

5. Representative:

not named

6. System for evaluation and check of the constancy of performance:

System 1

7. In case the declaration of performance regards a building product that is affected by a harmonized standard:

The notified authority Textiles and Flooring Institute GmbH (identification number 1658) has carried out a type check, an initial inspection of the plant and the plant-internal production checks as well as the continuous supervision, assessment and evaluation of the plant-internal production checks. The following was issued:

Certificate of Constancy of Performance No. 1658-CPR-3510

8. In case the declaration of performance regards a building product for which a European technical evaluation has been issued:

not applicable

Declaration of Performance

according to appendix III of the EU directive no. 305/11


no. 0022

9. Declared performance:

basic characteristics	performance	harmonized technical specification
fire class according to EN 13501-1	 (glued or unglued on non-combustible substrate)	EN 14041 2004/AC: 2006
Content of Pentachlorophenol		EN 14041 2004/AC: 2006
Formaldehyd Emissions		EN 14041 2004/AC: 2006
friction resistance according to 13893		EN 14041 2004/AC: 2006
Electrical behavior (dissipative)	NPD	EN 14041 2004/AC: 2006
Electrical behavior (conductive)	NPD	EN 14041 2004/AC: 2006
Electrical behavior (antistatic)		EN 14041 2004/AC: 2006
Thermal conductivity [W/mK]	NPD	EN 14041 2004/AC: 2006
Water-tightness	NPD	EN 14041 2004/AC: 2006

10. The performance of the product according to numbers 1 and 2 corresponds to the declared performance according to number 9. Only the manufacturer is responsible for the preparation of this declaration of performance according to number 4.

Signed for the manufacturer and on behalf of the manufacturer by:


Eric Seliger
(Managing Director)

Oelsnitz, 10.09.2016

Certificate of constancy of performance

No. 1658-CPR-3510

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products of the group

Polyamid Quellbelüftung textiler Zweitrücken

textile floor covering according to EN 14041 intended for use within a building
with the following classes of reaction to fire according to EN 13501-1

Bfl-s1

unglued or glued
on access flooring panels of classes A1 or A2 (fibre-reinforced calcium sulphate)
with a gross density $\geq 1500 \text{ kg/m}^3$ and a free cross-section of 4 - 24 %

produced by or for

Halbmond Teppichwerke GmbH

Brückenstr. 1

08606 Oelsnitz / Germany

and produced in the manufacturing plant(s)

Brückenstr. 1

08606 Oelsnitz / Germany

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the harmonised standard


EN 14041:2004/AC:2006

under system 1 for the performance(s) set out in this certificate are applied and that the performance(s) of the construction product(s) is / are assessed to remain constant.

This certificate was first issued on 29 September 2021. This certificate will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly, at the latest, however, until **29 September 2026**. This certificate shall only be valid in conjunction with the "Annex for the description of articles/groups" and replaces the version dated 29 September 2021.

Aachen, 19 October 2021




Dr.-Ing. Andreas Zoëga
(certifier)

**Anlage zur Artikel- /
Gruppenbeschreibung**

**Annex for the description
of articles / groups**

**Annexe pour la description
des articles / du groupe**

1658-CPR-3510

Diese(r) Artikel / Gruppe wird charakterisiert durch folgende Merkmale

- Gesamtmasse 3755 g/m²
 - Gesamtdicke 7,5 mm
 - Materialzusammensetzung /
Nutzschicht: 100 % Polyamid
- und umfasst folgende(n) Artikel:

This article / this group is characterised by the following features

- total mass 3755 g/m²
- total thickness 7.5 mm
- material composition /
pile material: 100 % polyamide

and comprises the following article(s):

Cet article / cette groupe présente les caractéristiques suivantes

- masse totale 3755 g/m²
- épaisseur totale 7,5 mm
- composition de la matière /
couche d'usage: 100 % polyamide

et comporte l'article suivant/les articles suivants:

AP 1050 QL
DC 1050 QL

Diese Anlage ersetzt die Version vom 25.04.2024 und bleibt gültig, solange keine neuere Version erstellt wurde, längstens jedoch bis zum **29.09.2026**.

This annex replaces the version dated 25 April 2024 and will remain valid as long as no newer version has been issued, at the latest however until **29 September 2026**.

Cette annexe remplace la version du 25.04.2024 et demeure en vigueur aussi longtemps qu'aucune version plus récente n'a été établie, au plus tard cependant jusqu'au **29.09.2026**.

Aachen, 13.01.2025



Dr.-Ing. Andreas Zoëga
(Zertifizierer / certifier / certificateur)