


quick SELECTION tiles & planks





quick SELECTION

tiles & planks

de Unsere Quick Selection Tiles & Planks bietet 17 vielfältige Designs in drei Stilrichtungen mit je sechs Farbvarianten. Die Kollektion umfasst sowohl moderne und zeitlose, als auch klassische Muster.

Erhältlich in den Größen 50 × 50 cm und 25 × 100 cm.

- Produziert mit modernster Chromojet-Technologie
- Verfügbar in zwei Qualitäten
- Farbbank mit 24 Farben
- Drei verschiedene Rubriken
- Sechs Farbvarianten pro Design
- Unkomplizierte Auswahl
- Einfach zu bestellen
- Schneller Musterservice
- Kurze Lieferzeiten
- Wettbewerbsfähige Preise

en Our Quick Selection Tiles & Planks offers 17 varied designs in three styles, each with six colour variants. The collection includes modern and timeless as well as classic patterns.

Available in the sizes 50 × 50 cm and 25 × 100 cm.

- Manufactured with the latest Chromojet technology
- Available in two qualities
- Colour bank with 24 colours
- Three different categories
- 6 colour choices per design
- Uncomplicated selection
- Easy to order
- Quick sample service
- Short delivery times
- Competitive prices

fr Notre Quick Selection Tiles & Planks propose 17 designs variés dans trois styles avec six variantes de couleurs chacun. La collection comprend aussi bien des motifs modernes et intemporels que des motifs classiques.

Disponible dans les dimensions 50 × 50 cm et 25 × 100 cm.

- Fabriqué avec la dernière technologie Chromojet
- Disponible en deux qualités
- Banque de couleurs avec 24 couleurs
- Trois rubriques différentes
- 6 choix de coloris différents par modèle
- Une sélection simple
- Facile à commander
- Un envoi d'échantillon rapide
- Des délais de livraison courts
- Des prix compétitifs

MODERN



TIMELESS




CLASSIC





QS110tile - 3





plank

tile



QS110tile - 6

Repeat appr. 400 × 303 cm
Det. appr. 50 × 50 cm



9910 9061 6933 6059



QS110tile - 5

Repeat appr. 400 × 303 cm
Det. appr. 50 × 50 cm



9055 9054 9053 9052



QS110tile - 2

Repeat appr. 400 × 303 cm
Det. appr. 50 × 50 cm




8061 9911 9910 9061



QS110tile - 1

Repeat appr. 400 × 303 cm
Det. appr. 50 × 50 cm



9914 9902 9911 9910



QS110tile - 3

Repeat appr. 400 × 303 cm
Det. appr. 50 × 50 cm




8065 8071 8063 8061



QS110tile - 4

Repeat appr. 400 × 303 cm
Det. appr. 50 × 50 cm



8057 8064 8063 8061




QS111tile - 6

Repeat appr. 400 × 232 cm
Det. appr. 67 × 67 cm




QS111tile - 4

Repeat appr. 400 × 232 cm
Det. appr. 67 × 67 cm




QS111tile - 1

Repeat appr. 400 × 232 cm
Det. appr. 67 × 67 cm



QS111tile - 3

Repeat appr. 400 × 232 cm
Det. appr. 67 × 67 cm




QS111tile - 2


Repeat appr. 400 × 232 cm
Det. appr. 67 × 67 cm



QS111tile - 5

Repeat appr. 400 × 232 cm
Det. appr. 67 × 67 cm






plank


tile



plank



tile





QS112tile - 4

Repeat appr. 400 × 339 cm
Det. appr. 67 × 67 cm



8064 8063 8061



QS112tile - 2

Repeat appr. 400 × 339 cm
Det. appr. 67 × 67 cm



9911 9910 9061



QS112tile - 1

Repeat appr. 400 × 339 cm
Det. appr. 67 × 67 cm



9914 9902 9911



QS112tile - 6

Repeat appr. 400 × 339 cm
Det. appr. 67 × 67 cm



9054 9053 9052




QS112tile - 3

Repeat appr. 400 × 339 cm
Det. appr. 67 × 67 cm



8065 8071 8063



QS112tile - 5

Repeat appr. 400 × 339 cm
Det. appr. 67 × 67 cm




9902 6933 6059




QS113tile - 2

Repeat appr. 200 × 176 cm
Det. appr. 67 × 67 cm




QS113tile - 3

Repeat appr. 200 × 176 cm
Det. appr. 67 × 67 cm




QS113tile - 6

Repeat appr. 200 × 176 cm
Det. appr. 67 × 67 cm




QS113tile - 4

Repeat appr. 200 × 176 cm
Det. appr. 67 × 67 cm



QS113tile - 5


Repeat appr. 200 × 176 cm
Det. appr. 67 × 67 cm



QS113tile - 1

Repeat appr. 200 × 176 cm
Det. appr. 67 × 67 cm





plank


tile



plank



tile





QS114tile - 4

Repeat appr. 400 × 186 cm
Det. appr. 67 × 67 cm



QS114tile - 5

Repeat appr. 400 × 186 cm
Det. appr. 67 × 67 cm



QS114tile - 3

Repeat appr. 400 × 186 cm
Det. appr. 67 × 67 cm



QS114tile - 6

Repeat appr. 400 × 186 cm
Det. appr. 67 × 67 cm




QS114tile - 1

Repeat appr. 400 × 186 cm
Det. appr. 67 × 67 cm



QS114tile - 2

Repeat appr. 400 × 186 cm
Det. appr. 67 × 67 cm






QS116tile - 6





QS116tile - 6

Repeat appr. 133 × 172 cm
Det. appr. 50 × 50 cm



9055 9053



QS116tile - 2

Repeat appr. 133 × 172 cm
Det. appr. 50 × 50 cm




9910 9061



QS116tile - 1

Repeat appr. 133 × 172 cm
Det. appr. 50 × 50 cm



9914 9911



QS116tile - 5

Repeat appr. 133 × 172 cm
Det. appr. 50 × 50 cm



6933 6059



QS116tile - 3

Repeat appr. 133 × 172 cm
Det. appr. 50 × 50 cm



8065 8071




QS116tile - 4

Repeat appr. 133 × 172 cm
Det. appr. 50 × 50 cm






8057 8063



plank

tile






QS115tile - 5

Repeat appr. 33 x 33 cm
Det. appr. 33 x 33 cm



9055 9054 9053




QS115tile - 1

Repeat appr. 33 x 33 cm
Det. appr. 33 x 33 cm



9914 9902 9911




QS115tile - 2

Repeat appr. 33 x 33 cm
Det. appr. 33 x 33 cm



9911 9910 9061




QS115tile - 4

Repeat appr. 33 x 33 cm
Det. appr. 33 x 33 cm



8064 8063 8061




QS115tile - 3

Repeat appr. 33 x 33 cm
Det. appr. 33 x 33 cm




8065 8071 8063



QS115tile - 6

Repeat appr. 33 x 33 cm
Det. appr. 33 x 33 cm



8063 6933 6059



QS118tile - 5

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



8079 8058 8057




QS118tile - 1

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



9914 9902 9911



QS118tile - 2

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



9911 9910 9061



QS118tile - 6

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



8935 8079 9910



QS118tile - 4

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm




8064 8063 8061




QS118tile - 3

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm




8065 8071 8063



plank

tile



plank

tile



QS117tile - 2

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



8061 9911 9910 9061



QS117tile - 1

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



9914 9902 9911 9910



QS117tile - 6

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm




9910 9061 6933 6059



QS117tile - 5

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm




9055 9054 9053 9052



QS117tile - 4

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



8057 8064 8063 8061



QS117tile - 3

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



8065 8071 8063 8061



QS119tile - 6

Repeat appr. 80 × 79 cm
Det. appr. 50 × 50 cm



9914 9902 6933 6059



QS119tile - 3

Repeat appr. 80 × 79 cm
Det. appr. 50 × 50 cm




8065 8071 8063 9902



QS119tile - 5

Repeat appr. 80 × 79 cm
Det. appr. 50 × 50 cm




9914 9055 9054 9053



QS119tile - 2

Repeat appr. 80 × 79 cm
Det. appr. 50 × 50 cm



9902 9911 9910 9061



QS119tile - 1

Repeat appr. 80 × 79 cm
Det. appr. 50 × 50 cm




8945 9914 9902 9911




QS119tile - 4

Repeat appr. 80 × 79 cm
Det. appr. 50 × 50 cm



8057 8064 8063 8061



plank

tile



QS120tile - 2





QS120tile - 6

Repeat appr. 200 × 265 cm
Det. appr. 100 × 100 cm



QS120tile - 4

Repeat appr. 200 × 265 cm
Det. appr. 100 × 100 cm





QS120tile - 3

Repeat appr. 200 × 265 cm
Det. appr. 100 × 100 cm




QS120tile - 2

Repeat appr. 200 × 265 cm
Det. appr. 100 × 100 cm




QS120tile - 1


Repeat appr. 200 × 265 cm
Det. appr. 100 × 100 cm



QS120tile - 5


Repeat appr. 200 × 265 cm
Det. appr. 100 × 100 cm





plank

tile




plank



tile





QS123tile - 3

Repeat appr. 133 × 131 cm
Det. appr. 100 × 100 cm



QS123tile - 4

Repeat appr. 133 × 131 cm
Det. appr. 100 × 100 cm




QS123tile - 1

Repeat appr. 133 × 131 cm
Det. appr. 100 × 100 cm




QS123tile - 2

Repeat appr. 133 × 131 cm
Det. appr. 100 × 100 cm




QS123tile - 6

Repeat appr. 133 × 131 cm
Det. appr. 100 × 100 cm



QS123tile - 5

Repeat appr. 133 × 131 cm
Det. appr. 100 × 100 cm





QS109tile - 1

Repeat appr. 400 × 273 cm
Det. appr. 100 × 100 cm



QS109tile - 3

Repeat appr. 400 × 273 cm
Det. appr. 100 × 100 cm




QS109tile - 2

Repeat appr. 400 × 273 cm
Det. appr. 100 × 100 cm



QS109tile - 4

Repeat appr. 400 × 273 cm
Det. appr. 100 × 100 cm




QS109tile - 6


Repeat appr. 400 × 273 cm
Det. appr. 100 × 100 cm



QS109tile - 5


Repeat appr. 400 × 273 cm
Det. appr. 100 × 100 cm





plank

tile



plank

tile

CLASSIC



QS121tile - 2

Repeat appr. 133 × 164 cm
Det. appr. 100 × 100 cm



8061 9911 9910 9061




QS121tile - 1

Repeat appr. 133 × 164 cm
Det. appr. 100 × 100 cm



9914 9902 9911 9910



QS121tile - 6

Repeat appr. 133 × 164 cm
Det. appr. 100 × 100 cm



8935 8079 9911 9910



QS121tile - 5

Repeat appr. 133 × 164 cm
Det. appr. 100 × 100 cm



9055 9054 9053 9052



QS121tile - 3

Repeat appr. 133 × 164 cm
Det. appr. 100 × 100 cm



8065 8071 8063 8061



QS121tile - 4

Repeat appr. 133 × 164 cm
Det. appr. 100 × 100 cm



8057 8064 8063 8061



QS122tile - 4

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



QS122tile - 3

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm




QS122tile - 6

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm




QS122tile - 5

Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



QS122tile - 2


Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm



QS122tile - 1


Repeat appr. 133 × 131 cm
Det. appr. 67 × 67 cm






plank


tile






QS107tile - 6

60 × 60 cm, critical cut




8064 8063 9055 9054




QS107tile - 1

60 × 60 cm, critical cut



9914 9902 9910 9061




QS107tile - 2

60 × 60 cm, critical cut




8063 8061 9911 9910




QS107tile - 3

60 × 60 cm, critical cut




8065 8071 8063 8061




QS107tile - 5

60 × 60 cm, critical cut



8058 8064 8063 8061



QS107tile - 4

60 × 60 cm, critical cut



8935 8079 8057 8063




QS106tile - 4

60 × 60 cm, critical cut



8064 8063 8061



QS106tile - 3

60 × 60 cm, critical cut




8065 8071 8063



QS106tile - 5

60 × 60 cm, critical cut



8071 8063 8061



QS106tile - 6

60 × 60 cm, critical cut




8063 8061 6059




QS106tile - 1

60 × 60 cm, critical cut



8063 9902 9910



QS106tile - 2

60 × 60 cm, critical cut



8063 8061 9910



MODERN tiles & planks



QS110tile - 1



QS111tile - 1



QS112tile - 1



QS113tile - 1



QS114tile - 1



QS110tile - 2



QS111tile - 2



QS112tile - 2



QS113tile - 2



QS114tile - 2




QS110tile - 3



QS111tile - 3



QS112tile - 3



QS113tile - 3



QS114tile - 3



QS110tile - 4



QS111tile - 4



QS112tile - 4



QS113tile - 4



QS114tile - 4



QS110tile - 5



QS111tile - 5



QS112tile - 5



QS113tile - 5



QS114tile - 5



QS110tile - 6



QS111tile - 6



QS112tile - 6



QS113tile - 6




QS114tile - 6



QS112tile - 2


TIMELESS tiles & planks



QS115tile - 1



QS116tile - 1




QS117tile - 1



QS118tile - 1



QS119tile - 1




QS115tile - 2



QS116tile - 2



QS117tile - 2



QS118tile - 2



QS119tile - 2



QS115tile - 3



QS116tile - 3




QS117tile - 3



QS118tile - 3



QS119tile - 3



QS115tile - 4



QS116tile - 4



QS117tile - 4



QS118tile - 4



QS119tile - 4



QS115tile - 5



QS116tile - 5



QS117tile - 5




QS118tile - 5



QS119tile - 5



QS115tile - 6



QS116tile - 6



QS117tile - 6



QS118tile - 6



QS119tile - 6




QS119tile - 3


CLASSIC tiles & planks




QS106tile - 1



QS107tile - 1



QS109tile - 1



QS120tile - 1



QS121tile - 1



QS106tile - 2



QS107tile - 2



QS109tile - 2



QS120tile - 2



QS121tile - 2



QS106tile - 3



QS107tile - 3



QS109tile - 3



QS120tile - 3



QS121tile - 3



QS106tile - 4



QS107tile - 4



QS109tile - 4




QS120tile - 4



QS121tile - 4




QS106tile - 5



QS107tile - 5



QS109tile - 5




QS120tile - 5



QS121tile - 5




QS106tile - 6



QS107tile - 6



QS109tile - 6



QS120tile - 6



QS121tile - 6



QS122tile - 1



QS123tile - 1



QS122tile - 2



QS123tile - 2



QS122tile - 3



QS123tile - 3



QS122tile - 4



QS123tile - 4



QS122tile - 5



QS123tile - 5



QS122tile - 6



QS123tile - 6

Colours



KF 8935



KF 8927



KF 2068



KF 2063



KF 8065



KF 8071



KF 8079



KF 8058



KF 8057




KF 8064




KF 8063



KF 8061



KF 8945



KF 9914



KF 9902



KF 9911



KF 9910



KF 9061



KF 9055



KF 9054



KF 9053



KF 9052



KF 6933



KF 6059

Please note that colours in this printed brochure are approximate. For correct colours please refer to our colour samples.

Data sheet

Arcade Spezial Easy Lift 2,5 DC 800 Easy Lift 2,5

Status: 16.05.2024

delivery form	rolls tiles	400 cm wide
construction	tufted cut pile non heatset	1/10" gauge
pile material		100 % Polyamide 6
primary backing	non-woven	75 % PES / 25 % PA
secondary backing	Easy-Lift (heavy backing), non-woven (needled, thermal fixed)	100 % PES, 120 g/m ²
pattern	digital paste printing	Chromojet
total weight	ISO 8543	ca. 2764 g/m ²
total thickness	ISO 1765	ca. 6,5 mm
pile thickness	ISO 1766	ca. 4,1 mm
total pile yarn weight		ca. 770 g/m ²
pile density	ISO 8543	ca. 0,12 g/cm ³
number of tufts	ISO 1763	ca. 316000/m ²
CE-number		1658-CPR-3163
DoP-number		0004
Prodis-licence-number		7CF81CC0



use class

33 - commercial: heavy
DIN EN 1307 | ISO 10361



luxury class

LC 2
DIN EN 1307 | DIN EN 8543

stair suitability

not suitable
DIN EN 1307 | DIN EN ISO 12951



castor chair suitability

intensive
DIN EN 1307 | DIN EN ISO 4918



colour fastness to light

≥ 5
DIN EN 1307 | DIN EN ISO 105-B02

colour fastness to water

≥ 4
DIN EN 1307 | DIN EN ISO 105-E01

colour fastness to rubbing

≥ 3-4
DIN EN 1307 | DIN EN ISO 105-X12



resistance of cut edges

DIN EN ISO 10833



slip resistance μ

≥ 0,30
DIN EN 14041 | DIN EN 13893



thermal resistance

ca. 0,1 m²K/W
DIN EN 12667



impact sound reduction ΔL_w

ca. 26 dB
DIN EN ISO 717-2 | DIN EN ISO 10140-3



sound absorption α_w

ca. 0,2
DIN EN ISO 354



electrical behaviour

body voltage ≤ 2 kV
ISO 6356



reaction to fire

Cfl-s1
DIN EN 13501-1 | DIN EN ISO 9239-1,11925-1



We reserve the right to make technical changes that serve to improve quality. In rare cases, permanent shading may occur in velour carpets without impairing the usability. The cause of this is not due to the material or construction. Therefore, no warranty can be assumed for this. Halbmond's carpets and rugs must be installed in accordance with the respective Halbmond installation recommendations and the state of the art. All information is based on current knowledge and experience. They can only be general information without guarantee of properties, as we have no influence on the construction site conditions and processing. Due to the wide range of possible influences when using our products, they do not exempt the installer from carrying out his own tests and trials. Regular maintenance cleaning is decisive for the cleanliness, value retention and good appearance of the floor covering.

Data sheet

AP 1050 Easy Lift 2,5 DC 1050 Easy Lift 2,5

Status: 17.06.2024

delivery form	rolls tiles	400 cm wide
construction	tufted cut pile	1/10" gauge
pile material		100 % Polyamide 6
primary backing	non-woven	75 % PES / 25 % PA
secondary backing	Easy-Lift (heavy backing), non-woven (needled, thermal fixed)	100 % PES, 120 g/m ²
pattern	digital paste printing	Chromojet
total weight	ISO 8543	ca. 3035 g/m ²
total thickness	ISO 1765	ca. 7,5 mm
pile thickness	ISO 1766	ca. 5 mm
total pile yarn weight		ca. 1050 g/m ²
pile density	ISO 8543	ca. 0,14 g/cm ³
number of tufts	ISO 1763	ca. 185650/m ²
CE-number		1658-CPR-3163
DoP-number		0004
Prodis-licence-number		75CA6F1A



use class

33 - commercial: heavy
DIN EN 1307 | ISO 10361



luxury class

LC 3
DIN EN 1307 | DIN EN 8543



stair suitability

not suitable
DIN EN 1307 | DIN EN ISO 12951



castor chair suitability

intensive
DIN EN 1307 | DIN EN ISO 4918

colour fastness to light

≥ 5
DIN EN 1307 | DIN EN ISO 105-B02

colour fastness to water

≥ 4
DIN EN 1307 | DIN EN ISO 105-E01

colour fastness to rubbing

≥ 3-4
DIN EN 1307 | DIN EN ISO 105-X12



resistance of cut edges

DIN EN ISO 10833



slip resistance μ

≥ 0,30
DIN EN 14041 | DIN EN 13893



thermal resistance

ca. 0,11 m²K/W
DIN EN 12667



impact sound reduction ΔL_w

ca. 30 dB
DIN EN ISO 717-2 | DIN EN ISO 10140-3



sound absorption α_w

ca. 0,2
DIN EN ISO 354



electrical behaviour

body voltage ≤ 8 kV
ISO 6356



reaction to fire

Cfl-s1
DIN EN 13501-1 | DIN EN ISO 9239-1,11925-1



We reserve the right to make technical changes that serve to improve quality. In rare cases, permanent shading may occur in velour carpets without impairing the usability. The cause of this is not due to the material or construction. Therefore, no warranty can be assumed for this. Halbmond's carpets and rugs must be installed in accordance with the respective Halbmond installation recommendations and the state of the art. All information is based on current knowledge and experience. They can only be general information without guarantee of properties, as we have no influence on the construction site conditions and processing. Due to the wide range of possible influences when using our products, they do not exempt the installer from carrying out his own tests and trials. Regular maintenance cleaning is decisive for the cleanliness, value retention and good appearance of the floor covering.

T I L E
P R O D U C T
G U I D E

HALBMOND

Halbmond Teppichwerke GmbH

Brückenstraße 1

D-08606 Oelsnitz (Vogtl.)

Tel.: +49 (0) 37 421 / 42-0

info@halbmond.de

www.halbmond.de